



**MIX**

CORRECTS CHLOROSIS  
ASSOCIATED WITH  
MICRONUTRIENT DEFICIENCIES

*medifer* 

NUTRIMOS LA VIDA

*ecomed*

## What is it?

Mix of EDTA chelated microelements.

It is recommended for use in olive groves, greenhouse and outdoor horticulture, nurseries, citrus, hydroponics and fruit trees.

## Physical properties

Aspect: Solid (powder)  
Colour: Green

pH range that guarantees chelate stability: 3 - 9

## Composition

Boron (B) (water-soluble)	<b>0.65 %</b>
Copper (Cu) (water-soluble)	<b>0.28 %</b>
EDTA Chelated Copper (Cu)	<b>0.28 %</b>
Iron (Fe) (water-soluble)	<b>7.5 %</b>
EDTA Chelated Iron (Fe)	<b>7.5 %</b>
Manganese (Mn) (water-soluble)	<b>3.5 %</b>
EDTA Chelated Manganese (Mn)	<b>3.5 %</b>
Molybdenum (Mo) (water-soluble)	<b>0.3 %</b>
Zinc (Zn) (water-soluble)EDTA	<b>0.7 %</b>
Chelated Zinc (Zn)	<b>0.7 %</b>



1 kg 5 kg



## BENEFITS

**It effectively corrects multiply deficiencies.**

**It improves the micronutrients availability for crops.**

**It induces a better vegetative development and curd.**

## DIRECTIONS FOR USE

It is recommended to use it via foliar or radicular absorption.

## INCOMPATIBILITIES

Do not mix with oils or products with a very alkaline reaction.

In case of doubt, please consult our agronomists.

## Dosis de aplicación



Horticultural  
crops



Citrus trees



Hydroponics

<b>Fertirrigation:</b>	1.5-2 kg, distributed in 3-4 applications.	2-3 kg, distributed in 4-6 applications.	3.5-5 g/hl of irrigation water per week.
<b>Foliar:</b>	100-150 g/hl, distributed in 2-3 applications.	100-150 g/hl, distributed in 2-3 applications.	



Vine



Tropical  
crops



Olive groves  
and fruit trees

<b>Fertirrigation:</b>	1.5-2 kg, distributed in 3-4 applications.	2-3 kg, distributed in 4-6 applications.	2-3 kg, distributed in 4-6 applications.
<b>Foliar:</b>	100-150 g/hl, distributed in 2-3 applications.	100-150 g/hl, distributed in 2-3 applications.	100-150 g/hl, distributed in 2-3 applications.

Doses are illustrative and may vary depending on the crop and its specific characteristics. Use only in case of recognised need. Do not exceed the appropriate doses. Do not apply by foliar application at hours of maximum sunshine. If in doubt, please consult our agronomists.



Constantino  
Gutiérrez, S.A.  
Avenida Mare  
Nostrum, 25  
03007 Alicante  
Spain

[www.medifer.es](http://www.medifer.es)  
+34 965 288 544



This catalogue does not contain all the necessary information for the application of each product. In order to use them safely, technical and safety specifications must be read. Medifer does not take responsibility for the inappropriate use of products. Please, contact the agronomist in your area or write to us via email, [cgsa@medifer.es](mailto:cgsa@medifer.es) for further information.